

FLOQSwabs[®]

Better Specimen Collection Better Diagnostics



Copan
innovating together



COPAN FLOQSwabs® consist of molded plastic applicator shafts with tips (in varying dimensions) coated with Nylon® fibers, creating a thin absorbent layer allowing for quick sample uptake and elution of more than 90% of the sample.¹ The unique swab design ensures the most effective specimen collection to expand downstream testing capabilities.²



Superior sample collection

FLOQSwabs® have no internal core to trap the sample, allowing rapid absorption and ensuring fast and complete specimen elution.




Designed for multiple collection sites

Various shaft and tip dimensions make FLOQSwabs® an improved alternative to invasive and costly collection procedures.^{4,5}



The perfect partner

FLOQSwabs® are compatible with a variety of bacteriology and virology transport media, ensuring broad assay compatibility.^{2, 3, 6-10}




Why Flocked?

Maximizing sample recovery allows multiple tests to be run from a single collection, and improves the sample yield from each collection, improving efficiency and diagnostic accuracy.

Traditional Fiber Swab

Yards of fiber wrapped around applicator




Sample is trapped in swab fibers

One swab for one test

FLOQSwabs®

Nylon® fibers are applied to applicator using a proprietary flocking process



Sample diffuses and becomes trapped in the fibers.

Sample stays close to the surface, eluting upon contact with transport media. Brush like texture dislodges and collects cells.

More of sample available for testing

How many tests from one sample?

Multiple aliquots for various tests⁶⁻¹¹

Patent Information

US 8,317,728 8,114,027 8,979,784 9,011,358 13/657,949 16/448,398 9,173,779 14/448398 10,327,741 | EP1608268 | JP4579902 | AU2004226798 | CA2,515,205 | NZ541560 | SG170654 | CNZL200610099310.9

Ordering Information

FLOQSwabs® are available with various tip sizes and breakpoints to be used for various applications.

All FLOQSwabs® are packaged sterile and come in boxes of 100 pieces, 10 boxes to a case, unless otherwise noted.

[Learn More](#)








FLOQSwabs® in Peel Pouch

Cat. No.	Product	Break Point	Commonly Used For
519CS01	REGULAR	100 mm	Nasal, throat, vaginal, groin, axilla, rectal, wound, buccal, stool
502CS01	REGULAR	80 mm	Nasal, throat, vaginal, groin, axilla, rectal, wound, buccal, stool
520CS01	REGULAR	30 mm	Nasal, throat, groin, axilla, wound, buccal, stool
518CS01	MINITIP	100 mm	Urethral, nasal, pediatric
501CS01	MINITIP	80 mm	Urethral, nasal, pediatric




FLOQSwabs® in Peel Pouch

Cat. No.	Product	Break Point	Commonly Used For
525CS01	ULTRA-THIN MINITIP	80 mm	Urethral
503CS01	FLEXIBLE	100 mm	Nasopharyngeal
534CS01	FLEXIBLE	N/A	Nasopharyngeal
516CS01	MINI FLEXIBLE	100 mm	Neonatal
56380CS01	LONG CONTOURED WITH STOPPER	80 mm	Mid Turbinate
56780CS01	CONTOURED WITH LOW STOPPER	80 mm	Mid Turbinate
56750CS01	SHORT CONTOURED WITH STOPPER	50 mm	Mid Turbinate

FLOQSwabs® in Tube

Cat. No.	Product	Break Point	Commonly Used For
519C	REGULAR 	100 mm	Nasal, throat, vaginal, groin, axilla, rectal, wound, buccal, stool
552C	REGULAR 	80 mm	Nasal, throat, vaginal, groin, axilla, rectal, wound, buccal, stool
520C	REGULAR 	30 mm	Nasal, throat, groin, axilla, buccal, stool
5U002S	REGULAR WITH LOW STOPPER 	80 mm	Rectal, entrics
528C	LARGE TIP WITH STOPPER 	N/A	Buccal
518C	MINITIP 	100 mm	Urethral, nasal, pediatric
551C	MINITIP 	80 mm	Urethral, nasal, pediatric

FLOQSwabs® in Tube

Cat. No.	Product	Break Point	Commonly Used For
553C	FLEXIBLE MINITIP 	100 mm	Nasopharyngeal
516C	MINI FLEXIBLE 	100 mm	Neonatal
560C	ULTRA-THIN MINITIP 	80 mm	Urethral

Scientific References

- Copan Group. Data on file - Internal elution studies.
- Munywoki, P. K., Hamid, F., et al. (2011). Improved detection of respiratory viruses in pediatric outpatients with acute respiratory illness by real-time PCR using nasopharyngeal flocced swabs. *Journal of Clinical Microbiology*, 49(9), 3365–3367. <https://doi.org/10.1128/JCM.02231-10>
- Copan Italia S.p.A. (2020). FLOQSwabs® in pouch: Product insert & how to use guide (HPC217 Rev.00). Copan Italia S.p.A.
- Saville, M., Hawkes, D., et al. (2020). Analytical performance of HPV assays on vaginal self-collected vs practitioner-collected cervical samples: The SCoPE study. *Journal of Clinical Virology*, 127, 104375. <https://doi.org/10.1016/j.jcv.2020.104375>
- Misra, A., Speicher, D. J., et al. (2021). Self-collected oral flocced swabs to measure prevalence of Epstein-Barr Virus antibodies and DNA amongst university students. *Diagnostic Microbiology and Infectious Disease*, 100, 115295. <https://doi.org/10.1016/j.diagmicrobio.2020.115295>
- Van, T. T., Cox, L. M., et al. (2017). Prevalence of *Fusobacterium necrophorum* in children presenting with pharyngitis. *Journal of Clinical Microbiology*, 55(4), 1147–1153. <https://doi.org/10.1128/JCM.02174-16>
- Cleveland Clinic Laboratories. (2024). *Microbiology specimen collection & transport guidelines*. Cleveland Clinic. Retrieved from <https://clevelandcliniclabs.com/laboratory-resources/specimen-collection-transport/>
- Fontana, C., Favaro, M., & Favalli, C. (2013). How liquid-based microbiology can change the workflow in microbiology laboratories. *Advances in Microbiology*, 3(6), 504-510. <https://doi.org/10.4236/aim.2013.36067>
- Plapp, F. (2014). E Swab Collection System. *ClinLab Navigator*. <https://www.clinlabnavigator.com/blog/e-swab-collection-system>
- Chernesky, M., Castriciano, S., et al. (2006). Use of flocced swabs and a universal transport medium to enhance molecular detection of *Chlamydia trachomatis* and *Neisseria gonorrhoeae*. *Journal of Clinical Microbiology*, 44(3), 1084–1086. <https://doi.org/10.1128/JCM.44.3.1084-1086.2006>
- Copan Diagnostics Inc. (2007). *ESwab: New liquid-based transport system for microbiology with flocced swabs*. Retrieved from Rapid Microbiology website: <https://www.rapidmicrobiology.com>



These products may not be available in all Countries. Please refer to www.copanusa.com for the most recent version of this document. Always consult product technical documentation for complete information. The use of this product in association with diagnostic kits or instrumentation should be validated by the end user. All trademarks, logos and brand names are the property of their respective owners. ©2025 COPAN Diagnostics Inc. All rights reserved.
Code: FLOQ Brochure_03_2025

 CopanUSA.com  [800.216.4016](tel:800.216.4016)  [@CopanUSA](https://twitter.com/CopanUSA)  communications@copanusa.net  [/Copan.USA](https://facebook.com/Copan.USA)

COPAN Diagnostics, Inc.

26055 Jefferson Avenue | Murrieta, CA 92562 USA